FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}			
Facility Site Basic identification information for a facility site, including the facility registry identifier, geographic address, and geopolitical descriptors. Remarks: More than one RCR_HANDLER row may exist for each HANDLER_ID in RCR_HBASIC. Select the row from RCR_HANDLER and all other related files where RCR_HBASIC.STATE = RCR_HANDLER.ACTIVITY_LOCATION and RCR_HBASIC.HANDLER_ID = RCR_HANDLER_ID.}						
Facility Registry Identifier	The identification number assigned by the EPA Facility Registry System to uniquely identify a facility site.	A(12)				
State Facility Identifier	The unique identification number used by a state to identify a facility site.	A(12)				
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	RCR_HBASIC.HANDLER_NAME			
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)	RCR_HANDLER. LOCATION_STREET_NO ' ' RCR_HANDLER. LOCATION_STREET1			
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)	RCR_HANDLER. LOCATION_STREET2			
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for United States Postal Service (USPS) mail delivery.	A(60)	RCR_HANDLER. LOCATION_CITY			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	RCR_HANDLER.COUNTY_CODE
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	RCR_COUNTY_CODES. COUNTY_NAME {for matching RCR_HANDLER. COUNTY_CODE}
State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	RCR_HANDLER. LOCATION_STATE
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	
Country Name	The name that represents a primary geopolitical unit of the world. Default: USA	A(44)	'USA'
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	RCR_HANDLER.LOCATION_ZIP
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the Federal Government. Allowable Values: Value Meaning Y Yes, the facility is the property of the Federal Government. No, the facility is not the property of the Federal Government.	A(1)	'Y' {If RCR_HANDLER. LAND_TYPE = 'F' } Else, 'N'
Tribal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land. Allowable Values: Value Meaning Y Yes, the facility is located on tribal land. N No, the facility is not located on tribal land.	A(1)	'Y' {If RCR_HANDLER. LAND_TYPE = 'I' } Else, 'N'
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Congressional District Number	The number that represents a Congressional District for a state within the United States.	A(2)	
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	RCR_HANDLER. STATE_DISTRICT {1st 2 characters}
Hydrologic Cataloging Unit (HUC) Code	The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	
EPA Region Code	The code that represents an EPA region.	A(2)	RCR_HBASIC.REGION
Airshed Code	An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution.		
Census Block Code		A(15)	

April 27, 2001

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Facility Site Type Name	The descriptive name for the type of site the facility occupies. Allowable Values: Stationary Mobile Pipeline Contaminated Site Network	A(20)	'STATIONARY'
Source of Data	The source of the associated facility site data.	A(25)	RCR_ACTIVITY.SOURCE_TYPE {associated with latest RCR_ACTIVITY.RECEIVE_DATE } If SOURCE_TYPE = 'R' 'ANNUAL/BIENNIAL
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	RCR_ACTIVITY.RECEIVE_DATE {most recent date} Else, Null

Environmental Interest
The environmental permits and regulatory programs that apply to the facility site.

Remarks: More than one Environmental Interest may occur for each HANDLER_ID.

FRS DATA ELEMENT NAME	FRS DATA	ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Environmental Interest Type	The environmental permit or regisite. Allowable Values: (examples) Value TSD LQG SQG CESQG TRANSPORTER NO UNIVERSE SPECIFIED	Meaning Hazardous Waste Handler - Treatment, Storage, Disposal (TSD) Hazardous Waste Handler - Large Quantity Generator (LQG) Hazardous Waste Handler - Small Quantity Generator (SQG) Hazardous Waste Handler - Conditionally Exempt Small Quantity Generator Hazardous Waste Handler - Transporter Hazardous Waste Handler - No Universe Specified	A(60)	'TSD' {If HANDLER_ID in CA_GPRA or if HANDLER_ID in RCR_PERMIT_BASELINE or if RCR_UNIVERSE. UNIVERSE_TYPE in ('CLOSWRKLD', 'PERMWRKLD', 'PCWRKLD', 'SUBJINSP', 'CAWRKLD'} 'LQG' {If RCR_UNIVERSE. UNIVERSE_TYPE = 'LQG'} 'SQG' {If RCR_UNIVERSE. UNIVERSE_TYPE = 'SQG'} 'CESQG' {If RCR_UNIVERSE. UNIVERSE_TYPE = 'CEG'} 'TRANSPORTER' {If RCR_UNIVERSE. UNIVERSE_TYPE = 'CEG'} 'TRANSPORTER' {If RCR_UNIVERSE. UNIVERSE_TYPE = 'TRANSPORT'} 'NO UNIVERSE SPECIFIED' {If HANDLER_ID not in any of the above categories}
Environmental Information System Abbreviated Name	The abbreviated name that repre management system for an envir	sents the name of an information conmental program.	A(20)	'RCRAINFO'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	RCR_HANDLER.HANDLER_ID
Fed/State Indicator Code	A flag which indicates whether the facility is tracked at the federal program level, or at the State program level only. Allowable Values: 'F' or 'S' Value Meaning F Meaning The facility site is tracked at the federal program level. S The facility site is tracked at the State program level only.	A(1)	
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	
Environmental Interest Start Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date. Allowable Values: (examples) First Reporting Year Earliest Inspection Date First Report Received Date Operations Start Date First Report Postmark Date Monitoring Start Date Original Permit Issue Date	A(50)	
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date. Allowable Values: (examples) Facility Inactive Date Year Reporting Stopped De-registration Effective Date Permit Expiration Date Reissued as General Permit Date Operations End Date Final Cleanup Date	A(50)	
Source of Data	The source of the associated environmental interest data.	A(25)	RCR_ACTIVITY.SOURCE_TYPE {associated with latest RCR_ACTIVITY.RECEIVE_DATE } If SOURCE_TYPE = 'R' 'ANNUAL/BIENNIAL REPORT' 'A' 'PART A (RCRA)' 'N' 'NOTIFICATION (RCRA)' 'E' 'EPA INSPECTION' 'S' 'STATE INSPECTION' Else 'RCRAINFO'
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date	RCR_ACTIVITY.RECEIVE_DATE {most recent date} Else, Null
	or program-specific name for the facility site. ne Alternative Name may occur for each HANDLER_ID.		
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	RCR_PREVIOUS_NAME. PREVIOUS_HANDLER_NAME

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Alternative Name Type	The type of the alternative, historical, or program-specific name for the facility site (e.g., primary, legal, historical, local).	A(25)	'HISTORICAL NAME'
Source of Data	The source of the associated alternative name data.	A(25)	'RCRAINFO'
Last Reported Date	The most recent date the corresponding alternative name data was reported to the Source of Data.	Date	RCR_PREVIOUS_NAME. RECEIVE_DATE
Alternative Identi An alternative identified <u>Remarks</u> : No Alternati	er for the facility site, as maintained by an information management system for	or an environmental	program.
Alternative Identification Number Type	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(30)	
Alternative Identification Number	An alternative identification number maintained by an information management system for an environmental program.	A(30)	
Source of Data	The source of the associated alternative identification data.	A(25)	
Last Reported Date	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date	
	linates set of points, defined by latitude and longitude coordinates used to locate a fa accuracy, and description data.	cility site, usually t	he front door or centroid, including
Latitude Measure	The measure of the angular distance on a meridian north or south of the equator.	A(6) - A(10) DD.dddddd	RCR_LATITUDE_LONGITUDE. LATITUDE_MEASURE {Convert to decimal degrees}

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	A(7) - A(11) DDD.dddddd	RCR_LATITUDE_LONGITUDE. LONGITUDE_MEASURE {Convert to decimal degrees}
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	A(6) in meters	
Geometric Type (Textu	nal Data or Code Data acceptable)		
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)	
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)	
Horizontal Collection I	Method (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	'026' (ZIP Code-Centroid) {If RCR_LATITUDE_LONGITUDE. LATITUDE_LONGITUDE_ SOURCE = 'Z' } '018' (Interpolation-Map) {If RCR_LATITUDE_LONGITUDE. LATITUDE_LONGITUDE_ SOURCE = 'I' }
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)	
Horizontal Reference	Datum (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)	
Reference Point (Textu	al Data or Code Data acceptable)		
Code	The code that represents the place for which geographic coordinates were established.	A(3)	
Text	The text that identifies the place for which geographic coordinates were established.	A(60)	
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.	A(10)	
Data Collection Date	The calendar data when data were collected.	Date (YYYYMMDD)	
Coordinate Data Sourc	e (Textual Data or Code Data acceptable)		
Code	The code that represents the party responsible for providing the latitude and longitude coordinates.	A(3)	'098' (Regulated Entity) {If RCR_LATITUDE_LONGITUDE. LATITUDE_LONGITUDE_ SOURCE = 'A'} '100' (Verified by EPA or State){If RCR_LATITUDE_LONGITUDE. LATITUDE_LONGITUDE_ SOURCE = 'V'}
Name	The name of the party responsible for providing the latitude and longitude coordinates.	A(35)	
Location Comments Text	The text that provides additional information about the geographic coordinates.	A(150)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Vertical Measure	The measure of elevation (i.e., the altitude), in meters, above or below a reference datum.	A(10) in meters	
Vertical Collection Me	thod (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(3)	
Text	The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(60)	
Vertical Reference Dat	um (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used to determine the vertical measure (i.e., the altitude).	A(3)	
Name	The name of the reference datum used to determine the vertical measure (i.e., the altitude).	A(17)	
Vertical Accuracy Measure	The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point.	A(8) in meters	
Sub-Entity Identification Number	The identification number for an operable unit or sub-unit of a facility site.	A(30)	
Sub-Entity Type Name	The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(4)	
Source of Data	The source of the associated geographic coordinates data.	A(25)	
Last Reported Date	The most recent date the corresponding geographic coordinates data was reported to the Source of Data.	Date	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}		
A company, governme	Organization Affiliate A company, government body, or other type of organization that has some responsibility or role at the facility site. Remarks: More than one Organization Affiliate may occur for each HANDLER_ID.				
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Owner/Operator Operator Owner Previous Operator Previous Operator	A (40)	If RCR_OWNER_OPERATOR. OWNER_OPERATOR_ INDICATOR = 'CO' 'OWNER' 'CP' 'OPERATOR' 'PO' 'PREVIOUS OWNER' 'PP' 'PREVIOUS OPERATOR'		
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date			
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	RCR_OWNER_OPERATOR. OWNER_OPERATOR_CHANGE_ DATE {If RCR_OWNER_OPERATOR. OWNER_OPERATOR_ INDICATOR in ('PO', 'PP')}		
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)			
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	RCR_OWNER_OPERATOR. PHONE		
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	RCR_OWNER_OPERATOR. OWNER_OPERATOR_NAME
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	
Organization Type	The type of organization (e.g., federal, state, private). Allowable Values (examples): Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other	A(10)	If RCR_OWNER_OPERATOR. OWNER_OPERATOR_TYPE = 'F' 'FEDERAL' 'S', 'STATE' 'P' 'PRIVATE' 'I' 'INDIAN' 'C' 'COUNTY' 'M' 'MUNICIPAL' 'D' 'DISTRICT' 'O' 'OTHER' Else Null
Company Division Name	The name of a division or a department of a company.	A(50)	
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Ultimate Parent Name	The legal, formal name of the ultimate parent company of the organization affiliated with the facility site.	A(50)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Ultimate Parent DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site	A(9)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	RCR_OWNER_OPERATOR. STREET1
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	RCR_OWNER_OPERATOR. STREET2
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	RCR_OWNER_OPERATOR.CITY
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	RCR_OWNER_OPERATOR.STAT E
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	RCR_OWNER_OPERATOR.ZIP

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}		
Source of Data	The source of the associated organization data.	A(25)	RCR_ACTIVITY.SOURCE_TYPE {associated with latest RCR_ACTIVITY.RECEIVE_DATE } If SOURCE_TYPE = 'R' 'ANNUAL/BIENNIAL REPORT' 'A' 'PART A (RCRA)' 'N' 'NOTIFICATION (RCRA)' 'E' 'EPA INSPECTION' 'S' 'STATE INSPECTION' Else 'RCRAINFO'		
Last Reported Date	The most recent date the corresponding organization interest data was reported to the Source of Data.	Date	RCR_ACTIVITY.RECEIVE_DATE {most recent date} Else, Null		
Individual Affiliate An individual person who has some responsibility or role at the facility site. Remarks: Extract only one contact based on RCR_CONTACT.CONTACT_TYPE. Use CONTACT_TYPE = 'R' (BIENNIAL REPORT DATA); if not found, use CONTACT_TYPE = 'N' (NOTIFICATION DATA).}					
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site. Allowable Values (examples): Regulatory Contact Cognizant Official Public Contact Responsible Party Technical Contact Emergency Contact	A (40)	'REGULATORY CONTACT'		
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date			

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	RCR_CONTACT.PHONE
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Individual Full Name	The complete name of a person, including first name, middle name or initial, and surname.	A(70)	RCR_CONTACT.FIRST_NAME ' ' RCR_CONTACT.LAST_NAME
Individual Title Text	The title held by a person in an organization.	A(40)	RCR_CONTACT.TITLE
Company Division Name	The name of a division or a department of a company.	A(50)	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	RCR_CONTACT.STREET1
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	RCR_CONTACT.STREET2

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION FORMAT		RCRAINFO TABLE.COLUMN {COMMENTS}	
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	RCR_CONTACT.CITY	
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	RCR_CONTACT.STATE	
Mailing Address State Name	The name of the state where mail is delivered.	A(35)		
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)		
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	RCR_CONTACT.ZIP	
Source of Data	The source of the associated individual data.	A(25)	RCR_ACTIVITY.SOURCE_TYPE {associated with latest RCR_ACTIVITY.RECEIVE_DATE } If SOURCE_TYPE = 'R' 'ANNUAL/BIENNIAL REPORT' 'A' 'PART A (RCRA)' 'N' 'NOTIFICATION (RCRA)' 'E' 'EPA INSPECTION' 'S' 'STATE INSPECTION' Else 'RCRAINFO'	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
Last Reported Date	The most recent date the corresponding individual data was reported to the Source of Data.		RCR_ACTIVITY.RECEIVE_DATE {most recent date} Else, Null
	Related to Facility) sed to send mail to a facility site.		
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site.	A (40)	'FACILITY MAILING ADDRESS'
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	RCR_HANDLER. MAIL_STREET_NO ' ' RCR_HANDLER.MAIL_STREET1
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the USPS.	A(50)	RCR_HANDLER.MAIL_STREET2
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	RCR_HANDLER.MAIL_CITY
Mailing Address State USPS Code	The USPS abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	RCR_HANDLER.MAIL_STATE
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION FORMAT		RCRAINFO TABLE.COLUMN {COMMENTS}	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic egment that is a subunit of the ZIP Code, assigned by the USPS to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.		RCR_HANDLER.MAIL_ZIP	
Source of Data	The source of the associated mailing address data.	A(25)	RCR_ACTIVITY.SOURCE_TYPE {associated with latest RCR_ACTIVITY.RECEIVE_DATE } If SOURCE_TYPE = 'R' 'ANNUAL/BIENNIAL	
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	RCR_ACTIVITY.RECEIVE_DATE {most recent date} Else, Null	
Standard Industri Definition: The Standard Industria	al Classification l Classification (SIC), or type of business activity, occurring at the facility site.	e.		
Standard Industrial Classification (SIC) Code	The code that represents the economic activity of a company (4-digits).	A(4)	RCR_SIC.SIC_CODE	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site. Allowable Values: Value Meaning Primary The SIC Code represents the primary activity occurring at the facility site. Secondary The SIC Code represents a secondary activity occurring at the facility site. Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)	If RCR_SIC. PRIMARY_SIC_INDICATOR = 'P' 'PRIMARY' 'S' 'SECONDARY' Else 'UNKNOWN'
Source of Data	The source of the associated SIC data.	A(25)	'REPORTED BY FACILITY' {If RCR_SIC.SIC_SOURCE = 'R'} 'DETERMINED BY IMPLEMENTER' {If RCR_SIC.SIC_SOURCE = 'D'} Else 'RCRAINFO'
Last Reported Date	The most recent date the corresponding SIC data was reported to the Source of Data.	Date	
	ndustry Classification ndustry Classification System (NAICS) code, or type of industrial activity, occidata.	curring at the facilit	y site.
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)	

FRS DATA ELEMENT NAME		FRS DATA ELEMENT DEFINITION	FORMAT	RCRAINFO TABLE.COLUMN {COMMENTS}
NAICS Primary Indicator		indicates whether the associated NAICS Code represents the ty occurring at the facility site. Wes: Meaning The NAICS Code represents the primary activity occurring at the facility site. The NAICS Code represents a secondary activity occurring at the facility site. It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	A(10)	
Source of Data	The source of the associated NAICS data.		A(25)	
Last Reported Date	The most recent date the corresponding NAICS data was reported to the Source of Data.		Date	